




## Technical Data Sheet

<b>MATERIAL:</b>	Styrene/ethylene-butylene, ABA block copolymer
<b>CATALOG NUMBER:</b>	453
<b>CAS NUMBER:</b>	66070-58-4
<b>DESCRIPTION:</b>	ABA block copolymer of styrene and ethylene/butylene
<b>FORMULA:</b>	$(C_8H_8)_m(C_4H_6)_n$

**TYPICAL PROPERTIES:**

Appearance:	Crumbs
Styrene content:	29%
Approx Mw:	80,000 [GPC]
Brookfield viscosity:	550 cp (20 wt% in toluene @ 25°C)
Density:	0.91
Solubility:	Hexane, MEK, THF, toluene

**GENERAL INFORMATION:** Prepared by the hydrogenation of styrene/butadiene, ABA block copolymer. Possesses excellent resistance to degradation by oxygen, ozone and UV light. Application areas include adhesives, coatings and sealants.

**STRUCTURE:**

Technical information and data regarding the composition, properties or use of the products described herein is believed reliable. However, no representation or warranty is made with respect thereto except as made by Sp<sup>2</sup> in writing at time of sale. Sp<sup>2</sup> cannot assume responsibility for any patent liability which may arise from the use of any product in a process, manner or formula not designed by Sp<sup>2</sup>.