




## Technical Data Sheet

<b>MATERIAL:</b>	Styrene/acrylonitrile copolymer
<b>CATALOG NUMBER:</b>	494
<b>CAS NUMBER:</b>	9003-54-7
<b>DESCRIPTION:</b>	Random copolymer of styrene and acrylonitrile
<b>FORMULA:</b>	$(C_8H_8)_m(C_3H_3N)_n$

**TYPICAL PROPERTIES:**

Appearance:	Pellets
Acrylonitrile content:	25%
Approx Mw:	165,000 [GPC]
Density:	1.08
Refractive index:	$n_D^{20}$ 1.57
Melt flow index:	8 g/10 min
Vicat softening point:	110°C
Flash point:	716°F
Solubility:	Butanone, chloroform, THF

**GENERAL INFORMATION:** Incorporation of acrylonitrile into the polystyrene backbone increases thermal resistance. Also known as SAN, copolymers find use in a variety of applications including food containers, kitchenware, computer products, packaging material and optical fibers.

**STRUCTURE:**

Technical information and data regarding the composition, properties or use of the products described herein is believed reliable. However, no representation or warranty is made with respect thereto except as made by Sp<sup>2</sup> in writing at time of sale. Sp<sup>2</sup> cannot assume responsibility for any patent liability which may arise from the use of any product in a process, manner or formula not designed by Sp<sup>2</sup>.