

6265 DEAN PARKWAY ONTARIO NY 14519 WWW.SCIPOLY.COM

Technical Data Sheet

MATERIAL:	Ethylene/acrylic acid copolymer
WIATERIAL.	Emylene/actyfic actd coporymer

CATALOG NUMBER: 534

CAS NUMBER: 9010-77-9

DESCRIPTION: Random copolymer of ethylene and acrylic acid

FORMULA: $(C_3H_4O_2.C_2H_4)_x$

TYPICAL PROPERTIES:

Appearance: Bead Acrylic acid content: 15%

Brookfield viscosity: 650 cp (140°C)

Density: 0.93 Softening point (R&B): 92°C

Acid number: 120 mg KOH/g Flash point: > 572°F Solubility: Xylene (hot)

GENERAL INFORMATION: Incorporation of acrylic acid into polyethylene improves adhesion to

foil, paper and metallized film. Ethylene/acrylic acid copolymers have

been used as liners and pouches in the packaging industry.

STRUCTURE: