



## Technical Data Sheet

<b>MATERIAL:</b>	Poly(2-vinylpyridine), linear	
<b>CATALOG NUMBER:</b>	814	
<b>CAS NUMBER:</b>	25014-15-7	
<b>DESCRIPTION:</b>	Homopolymer of 2-Vinylpyridine	
<b>FORMULA:</b>	$(C_7H_7N)_x$	
<b>TYPICAL PROPERTIES:</b>	Appearance:	Granular
	Viscosity average Mw:	200,000
	Glass transition temp:	104°C
	Solubility:	Acetone, benzene, chloroform, dioxane, DMAC, DMF, DMSO, ethanol, isopropanol, methanol, pyridine, THF
<b>GENERAL INFORMATION:</b>	Undergoes reactions typical of alkyl pyridines, e.g. doping, quaternization, oxidation, etc. Poly(2-vinylpyridine) and its derivatives have found application in a number of areas. The homopolymer has been used in photographic film, Lithography, corrosion inhibitors, membranes for chemical separations, and as a catalyst in a number of organic reactions. Doped derivatives have found application in batteries and photovoltaic cells. Quaternized derivatives have found application in electron beam resists, emulsion stabilizers and dispersing agents, electroplating and as flocculating agents.	
<b>STRUCTURE:</b>		

Technical information and data regarding the composition, properties or use of the products described herein is believed reliable. However, no representation or warranty is made with respect thereto except as made by Sp<sup>2</sup> in writing at time of sale. Sp<sup>2</sup> cannot assume responsibility for any patent liability which may arise from the use of any product in a process, manner or formula not designed by Sp<sup>2</sup>.