



Technical Data Sheet


MATERIAL:	Polycarbonate
CATALOG NUMBER:	954
CAS NUMBER:	24936-68-3
DESCRIPTION:	Poly(bisphenol-A carbonate)
FORMULA:	$(C_{16}H_{14}O_3)_x$

TYPICAL PROPERTIES:

Appearance:	Pellets
Approx Mw:	36,000 [GPC]
Density:	1.20
Refractive index:	n_D^{20} 1.586
Melt flow index:	22 g/10min
Vicat softening point:	147°C
Glass transition temp:	149°C
Solubility:	Chloroform, dioxane, DMF, methylene chloride, pyridine, THF

GENERAL INFORMATION: Polycarbonates possess exceptionally high impact strength, combined with good electrical properties, thermal stability and creep resistance. Major uses have included glazing, lighting, appliances, signs, electronic parts and bottles.

STRUCTURE:



Technical information and data regarding the composition, properties or use of the products described herein is believed reliable. However, no representation or warranty is made with respect thereto except as made by Sp² in writing at time of sale. Sp² cannot assume responsibility for any patent liability which may arise from the use of any product in a process, manner or formula not designed by Sp².