




Technical Data Sheet

MATERIAL:	Polypropylene, isotactic, chlorinated												
CATALOG NUMBER:	644												
CAS NUMBER:	68442-33-1												
DESCRIPTION:	Chlorinated isotactic polypropylene												
FORMULA:	Unspecified												
TYPICAL PROPERTIES:	<table><tr><td>Appearance:</td><td>Pellets</td></tr><tr><td>Chlorine content:</td><td>32%</td></tr><tr><td>Density:</td><td>0.78</td></tr><tr><td>Viscosity:</td><td>30-60 cp (10% solution in toluene)</td></tr><tr><td>Melting point:</td><td>89°C</td></tr><tr><td>Solubility:</td><td>Insoluble in water. Soluble in aromatic, aliphatic, cyclic and halogenated hydrocarbons.</td></tr></table>	Appearance:	Pellets	Chlorine content:	32%	Density:	0.78	Viscosity:	30-60 cp (10% solution in toluene)	Melting point:	89°C	Solubility:	Insoluble in water. Soluble in aromatic, aliphatic, cyclic and halogenated hydrocarbons.
Appearance:	Pellets												
Chlorine content:	32%												
Density:	0.78												
Viscosity:	30-60 cp (10% solution in toluene)												
Melting point:	89°C												
Solubility:	Insoluble in water. Soluble in aromatic, aliphatic, cyclic and halogenated hydrocarbons.												
GENERAL INFORMATION:	Made by chlorination of isotactic polypropylene. It has found applications as an adhesive for polypropylene.												

STRUCTURE:

Technical information and data regarding the composition, properties or use of the products described herein is believed reliable. However, no representation or warranty is made with respect thereto except as made by Sp² in writing at time of sale. Sp² cannot assume responsibility for any patent liability which may arise from the use of any product in a process, manner or formula not designed by Sp².