## **SAFETY DATA SHEET**

Revision Date: 08/13/24

#### Section 1: Identification

### PRODUCT AND COMPANY INFORMATION

**Product Name:** Poly(n-decyl methacrylate), solution in toluene

Catalog Number(s): 884 Molecular Formula: (C<sub>14</sub>H<sub>26</sub>O<sub>2</sub>)<sub>x</sub>

**Company:** Scientific Polymer Products, Inc.

6265 Dean Parkway Ontario, NY 14519

 Telephone:
 585/265-0413

 Fax:
 585/265-1390

 Website:
 www.scipoly.com

Emergency Phone Number: 800-255-3924 (CHEM TEL)

#### Section 2: Hazards Identification

## Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids, Category 2, H225 Skin irritation, Category 2, H315 Reproductive toxicity, Category 2, H361

Specific target organ toxicity- single exposure, Category 3, Central nervous system, H336

Specific target organ toxicity-repeated exposure, Category 2, H373

Aspiration hazard, Category 1, H304

### GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapor.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

| P260           | Do not breathe dust/fumes/gas/mist/vapors/spray.                                      |
|----------------|---|
| P264           | Wash skin thoroughly after handling.  |
| P271           | Use only outdoors or in a well-ventilated area.                                       |
| P273           | Avoid release to the environment.   |
| P280           | Wear protective gloves/ protective clothing/ eye protection/ face protection.         |
| P301+P310      | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.                   |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with |
|                | water/ shower.  |
| P304+P340      | IF INHALED: Remove person to fresh air and keep comfortable for breathing.            |
| P308+P313      | IF exposed or concerned: Call a POISON CENTER or doctor/physician.                    |
| P321           | Specific treatment (see supplemental first aid instructions on this label).           |
| P331           | Do NOT induce vomiting.   |
| P332+P313      | If skin irritation occurs: Get medical advice/attention.                              |
| P362           | Take off contaminated clothing and wash before reuse.                                 |
| P370+P378      | In case of fire: Use dry sand, dry chemical or alcohol resistant foam for extinction. |
| P391           | Collect spillage.   |
| P403+P233      | Store in a well ventilated place. Keep container tightly closed.                      |
| P403+P235      | Store in a well ventilated place. Keep cool.  |
| P405           | Store locked up.  |
|                |   |

# Hazards not otherwise classified (HNOC) or not covered by GHS - none

To the best of our knowledge, the toxicological properties of this chemical have not been thoroughly investigated. Use appropriate procedures and precautions to prevent or minimize exposure.

Dispose of contents/ container to an approved waste disposal plant.

# **Section 3: Composition/Information on Ingredients**

| Ingredient                 | CAS Number | Concentration (%) |
|----------------------------|------------|-------------------|
| Toluene                    | 108-88-3   | 75 – 80           |
| Poly(n-decyl methacrylate) | 29320-53-4 | 20 – 25           |

### **Section 4: First Aid Measures**

## **Description of first aid measures**

## **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

P501

If breathed in, move person into fresh. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician

# Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

## Indication of any immediate medical attention and special treatment needed

No data available

## **Section 5: Fire-Fighting Measures**

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# Special hazards arising from the substance or mixture

Carbon oxides

## Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **Further information**

Use water spray to cool unopened containers

### **Section 6: Accidental Release Measures**

# Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

## **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13)

### Reference to other sections

For disposal see section 13.

### **Section 7: Handling and Storage**

### Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Use explosion proof equipment. Keep away from sources of ignition-No smoking. Take measure to prevent the buildup of electrostatic charge.

For precautions see section 2.

## Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

## Specific end use(s)

Laboratory chemicals, Manufacture of substances

# Section 8: Exposure Controls/Personal Protection

#### **Exposure Guidelines**

| Component | CAS No.  | ACGIH TLV  | OSHA PEL                            | NIOSH IDLH                 |
|-----------|----------|------------|-------------------------------------|----------------------------|
| Toluene   | 108-88-3 | TWA: 20ppm | (Vacated)TWA: 100 ppm               | IDLH: 500ppm               |
|           |          |            | (Vacated)TWA: 375mg/m3              | TWA: 100ppm                |
|           |          |            | Ceiling: 300ppm                     | TWA: 375mg/m <sup>3</sup>  |
|           |          |            | (Vacated)STEL: 150ppm               | STEL: 150ppm               |
|           |          |            | (Vacated)STEL: 560mg/m <sup>3</sup> | STEL: 560mg/m <sup>3</sup> |
|           |          |            | TWA: 200ppm                         |                            |

| Component | Quebec                              | Mexico OEL (TWA)            | Ontario TWAEV |
|-----------|-------------------------------------|-----------------------------|---------------|
| Toluene   | TWA: 50ppm<br>TWA: 188mg/m³<br>Skin | TWA: 50ppm<br>TWA: 188mg/m³ | TWA: 20ppm    |

### Legend:

ACGIH- American Conference of Governmental Industrial Hygienists

OSHA- Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

#### **Exposure controls**

## **Appropriate engineering controls**

Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

## **Eye/face protection**

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### **Body Protection**

Complete suit protecting against chemicals. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Where risk assessment shows air purifying respirators are appropriate use a full face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage of spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## **Section 9: Physical and Chemical Properties**

## Information on basic physical and chemical properties

| a) | Appearance                              | Form: Liquid                 |
|----|---|------------------------------|
| b) | Odor                                    | Sweet, pungent, Benzene like |
| c) | Odor Threshold                          | No data available            |
| d) | рН                                      | No data available            |
| e) | Melting point/freezing point            | No data available            |
| f) | Initial boiling point and boiling range | 110 – 111° C (230 – 232° F)  |
| g) | Flash point                             | 4° C/ 39.2° F                |
| h) | Evaporation rate                        | No data available            |
| i) | Flammability (solid, gas)               | No data available            |
| j) | Flammability or explosive limits        |                              |
|    | Upper                                   | 6.70%                        |
|    | Lower                                   | 1.40%                        |
| k) | Vapor pressure                          | No data available            |
| I) | Vapor density                           | No data available            |
| m) | Relative density                        | No data available            |
| n) | Water solubility                        | No data available            |
| o) | Partition coefficient: n- octanol/water | No data available            |
| p) | Auto-ignition temperature               | 535.0° C (995.0° F)          |

q) Decomposition temperature
 r) Viscosity
 s) Explosive properties
 t) Oxidizing properties
 No data available
 No data available
 No data available

# Other safety information

No data available

## Section 10: Stability and Reactivity

### Reactivity

No data available

## **Chemical stability**

Stable under recommended storage conditions.

### Possibility of hazardous reactions

Vapors may form an explosive mixture with air

#### **Conditions to avoid**

Heat, flames and sparks. Extremes of temperature and direct sunlight

## **Incompatible materials**

Strong oxidizing agents

## **Hazardous decomposition products**

Other decomposition products- no data available

In the event of fire: see section 5

## **Section 11: Toxicological Information**

### Acute toxicity

**Product information** No acute toxicity information is available for this product

Oral LD50Based on ATE data, the classification criteria are not met. ATE>2000mg/kgDermal LD50Based on ATE data, the classification criteria are not met. ATE>2000mg/kgVapor LC50Based on ATE data, the classification criteria are not met. ATE>2000mg/kg

**Component information** 

| Component | LD50 Oral        | LD50 Dermal         | LC50 Inhalation    |
|-----------|------------------|---------------------|--------------------|
| Toluene   | >5000mg/kg (Rat) | 12000mg/kg (Rabbit) | 26700ppm (Rat) 1 h |

**Toxicologically synergistic** 

**Products** 

No data available

## Delayed and immediate effects as well as chronic effects from short and long term exposure

IrritationNo data availableSensitizationNo data available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient

as a carcinogen

| Component     | CAS No.    | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|---------------|------------|------------|------------|------------|------------|------------|
| Toluene       | 108-88-3   | Not listed |
| Poly(n-decyl  | 29320-53-4 | Not listed |
| methacrylate) |            |            |            |            |            |            |

Mutagenic effects No data available

Reproductive effects No data available

**Developmental effects**No data available

**Teratogenicity** No data available

STOT- single exposure Central Nervous System (CNS)

STOT- repeated exposure None known

Aspiration hazard No data available

Symptoms/effects, both acute and

Delayed

Inhalation of high vapor concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting

**Endocrine disruptor information** No data available

Other adverse effects The toxicological properties have not been fully investigated

## **Section 12: Ecological Information**

### **Ecotoxicity**

Do not empty into drains

| Component | Freshwater Algae        | Freshwater Fish     | Microtox               | Water Flea           |
|-----------|-------------------------|---------------------|------------------------|----------------------|
| Toluene   | 12.5mg/L EC50 = 72h 433 | 50-70mg/L LC50 96 h | EC50 = 19.7mg/L 30 min | 11.5mg/L EC50 = 48 h |
|           | Mg/L EC50 > 96 h        | 5-7mg/L LC50 96 h   |                        | 5.46                 |
|           |                         | 15-19mg/L LC50 96 h |                        | - 9.83mg/L EC50 48 h |
|           |                         | 28mg/L LC50 96 h    |                        |                      |
|           |                         | 12mg/L LC50 96 h    |                        |                      |

## Persistence and degradability

No data available

## **Bioaccumulative potential**

No data available

# Mobility in soil

No data available

| Component | log Pow |
|-----------|---------|
| Toluene   | 2.65    |

# **Section 13: Disposal Considerations**

#### Waste treatment methods

#### **Product**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional and national hazardous waste regulations to ensure complete and accurate classification.

## Contaminated packaging

Dispose of as unused product.

## **Section 14: Transport Information**

DOT (US)

UN number: 1294 Class: 3 Proper shipping name: Toluene, solution

Packing group: II

Reportable quantity (RQ): 167 lbs

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1294 Class: 3 Packing group: II EMS-No: F-E, S-D

Proper shipping name: TOLUENE, SOLUTION

**IATA** 

UN number: 1294 Class: 3 Packing group: II

Proper shipping name: Toluene, solution

## **Section 15: Regulatory Information**

### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components** 

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS No.

Toluene 108-88-3

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

**Massachusetts Right to Know Components** 

CAS No. Toluene 108-88-3

**Pennsylvania Right to Know Components** 

Toluene CAS No.
Tolyone 108-88-3
Poly(n-decyl methacrylate) 29320-53-4

**New Jersey Right to Know Components** 

CAS No.

Toluene 108-88-3 Poly(n-decyl methacrylate) 29320-53-4

California Prop. 65 Components

WARNING This product contains a chemical known to the State of California to cause birth defects or

other reproductive harm

CAS No.

Toluene 108-88-3

### Section 16: Other Information

HMIS Rating NFPA Rating

Health:2Health:2Flammability:3Flammability:3Reactivity:0Reactivity:0

This material is intended for laboratory use only. It is not sold or intended for drug, household or other uses. The information represents the most accurate and complete data currently available to us. However, we make no warranty, express or implied, with respect to such information, and we assume no liability resulting from its use.