### **SAFETY DATA SHEET**

Revision Date: 03/17/20

#### Section 1: Identification

#### PRODUCT AND COMPANY INFORMATION

**Product Name:** Poly(4-hydroxybutyl acrylate)

Catalog Number(s): 888 Molecular Formula:  $(C_7H_{12}O_3)_x$ 

**Company:** Scientific Polymer Products, Inc.

6265 Dean Parkway Ontario, NY 14519

 Telephone:
 585/265-0413

 Fax:
 585/265-1390

 Website:
 www.scipoly.com

**Emergency Phone Number:** 800-255-3924 (CHEM TEL)

#### Section 2: Hazards Identification

#### Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids, Category 2, H225 Eye irritation, Category 2A, H319

Specific target organ toxicity- single exposure, Category 3, Central nervous system, H336

#### **GHS Label elements, including precautionary statements**

Pictogram



Signal word Danger

Hazard statement(s)

H225
 Highly flammable liquid and vapor.
 Causes serious eye irritation.
 H336
 May cause drowsiness or dizziness.

### Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/fumes/gas/mist/vapors/spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/ shower.

P304+P340+P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a

POISON CENTER/doctor if you feel unwell.

| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if |
|----------------|--|
|                | present and easy to do. Continue rinsing.  |
| P337+P313      | IF eye irritation persists: Get medical advice/ attention.                             |
| P370+P378      | In case of fire: Use dry sand, dry chemical or alcohol resistant foam to extinguish.   |
| P403+P233      | Store in a well ventilated place. Keep container tightly closed.                       |
| P403+P235      | Store in a well ventilated place. Keep cool.   |
| P405           | Store locked up.   |
| P501           | Dispose of contents/ container to an approved waste disposal plant.                    |

#### Hazards not otherwise classified (HNOC) or not covered by GHS - none

To the best of our knowledge, the toxicological properties of this chemical have not been thoroughly investigated. Use appropriate procedures and precautions to prevent or minimize exposure.

## Section 3: Composition/Information on Ingredients

| Ingredient                   | CAS Number | Concentration (%) |
|------------------------------|------------|-------------------|
| 2-Propanol                   | 67-63-0    | 65 - 75%          |
| Poly(4-hydroxbutyl acrylate) | 29086-87-1 | 25 - 35%          |

### **Section 4: First Aid Measures**

### **Description of first aid measures**

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician

## Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

#### Indication of any immediate medical attention and special treatment needed

No data available

# **Section 5: Fire-Fighting Measures**

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### Special hazards arising from the substance or mixture

Carbon oxides

#### **Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

# **Further information**

Use water spray to cool unopened containers

### **Section 6: Accidental Release Measures**

### Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

#### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13)

#### Reference to other sections

For disposal see section 13.

# **Section 7: Handling and Storage**

### Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Use explosion proof equipment. Keep away from sources of ignition-No smoking. Take measure to prevent the build up of electrostatic charge.

For precautions see section 2.

## Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Flammable liquids

#### Specific end use(s)

Laboratory chemicals, Manufacture of substances

# **Section 8: Exposure Controls/Personal Protection**

### **Exposure Guidelines**

| Component  | CAS No. | Value  | Control parameters                 | NIOSH IDLH                       |
|------------|---------|--|------------------------------------|----------------------------------|
| 2-Propanol | 67-63-0 | 7-63-0 TWA 200 ppm   |                                    | USA. ACGIH Threshold Limit       |
|            |         |  |                                    | Values (TLV)                     |
|            | Remarks | Central Nervou   | is System impairment               |                                  |
|            |         | Upper Respiratory Tract irritation   |                                    |                                  |
|            |         | Eye irritation   |                                    |                                  |
|            |         | Substances for   | which there is a Biological Exposi | ure Index or Indices             |
|            |         | Not classifiable   | as a human carcinogen              |                                  |
|            |         | STEL   | 400 ppm                            | USA. ACGIH Threshold Limit       |
|            |         |  |                                    | Values (TLV)                     |
|            |         | Central Nervous System impairment  |                                    |                                  |
|            |         | Upper Respiratory Tract irritation  Eye irritation  Substances for which there is a Biological Exposure Index or Indices  Not classifiable as a human carcinogen |                                    |                                  |
|            |         |  |                                    |                                  |
|            |         |  |                                    |                                  |
|            |         |  |                                    |                                  |
|            |         | TWA  | 400.000000 ppm                     | USA. Occupational Exposure       |
|            |         |  | 980.000000 mg/m3                   | Limits (OSHA) – Table Z-1 Limits |
|            |         |  |                                    | for Air Contaminants             |
|            |         | The value in mg/m3 is approximate  |                                    |                                  |

| TWA  | 400.000000 ppm     | USA. NIOSH Recommended           |
|------|--------------------|----------------------------------|
|      | 980.000000 mg/m3   | Exposure Limits                  |
| ST   | 500.000000 ppm     | USA. NIOSH Recommended           |
|      | 1,225.000000 mg/m3 | Exposure Limits                  |
| PEL  | 400 ppm            | California permissible exposure  |
|      | 980 mg/m3          | limits for chemical contaminants |
|      |                    | (Title 8, Article 107)           |
| STEL | 500 ppm            | California permissible exposure  |
|      | 1,225 mg/m3        | limits for chemical contaminants |
|      |                    | (Title 8, Article 107)           |

| Component  | CAS-No. | Parameters | Value        | Biological | Basis                                    |
|------------|---------|------------|--------------|------------|--|
|            |         |            |              | specimen   |  |
| 2-Propanol | 67-63-0 | Acetone    | 40.0000 mg/l | Urine      | ACGIH- Biological Exposure Indices (BEI) |
|            |         |            |              |            |  |

#### Legend:

ACGIH- American Conference of Governmental Industrial Hygienists

OSHA- Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

#### **Exposure controls**

#### **Appropriate engineering controls**

Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

### **Eye/face protection**

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### **Body Protection**

Impervious clothing. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Where risk assessment shows air purifying respirators are appropriate use a full face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage of spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### **Section 9: Physical and Chemical Properties**

# Information on basic physical and chemical properties

| a) | Appearance                   | Form: Liquid      |
|----|------------------------------|-------------------|
| b) | Odor                         | No data available |
| c) | Odor Threshold               | No data available |
| ď) | pH                           | No data available |
| e) | Melting point/freezing point | No data available |

| f)       | Initial boiling point and boiling range | 80.9 - 83.2° C (177.6 - 181.8° F) |
|----------|---|-----------------------------------|
| g)       | Flash point                             | 22.2° C (72.0° F)- Closed cup     |
| g)<br>h) | Evaporation rate                        | No data available                 |
| i)       | Flammability (solid, gas)               | No data available                 |
| j)       | Flammability or explosive limits        |                                   |
|          | Upper                                   | No data available                 |
|          | Lower                                   | No data available                 |
| k)       | Vapor pressure                          | No data available                 |
| 1)       | Vapor density                           | No data available                 |
| m)       | Relative density                        | No data available                 |
| n)       | Water solubility                        | No data available                 |
| o)       | Partition coefficient: n- octanol/water | No data available                 |
| p)       | Auto-ignition temperature               | No data available                 |
| q)<br>r) | Decomposition temperature               | No data available                 |
| r)       | Viscosity                               | No data available                 |
| s)       | Explosive properties                    | No data available                 |
| t)       | Oxidizing properties                    | No data available                 |

## Other safety information

No data available

# **Section 10: Stability and Reactivity**

### Reactivity

No data available

## **Chemical stability**

Stable under recommended storage conditions.

## Possibility of hazardous reactions

Vapors may form an explosive mixture with air

#### **Conditions to avoid**

Heat, flames and sparks.

#### **Incompatible materials**

Aluminum, Acids, Oxidizing agents, Halogenated compounds, Acid anhydrides

# **Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions- Carbon oxides.

Other decomposition products- no data available

In the event of fire: see section 5

# **Section 11: Toxicological Information**

### Information on toxicological effects

#### **Acute toxicity**

No data available

Inhalation: No data available

Dermal: No data available

Ingestion: No data available

## Skin corrosion/irritation

No data available

### Serious eye damage/eye irritation

No data available

### Respiratory or skin sensitization

No data available

## Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable,

possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen

or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or

anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen

or potential carcinogen by OSHA.

### Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: Not available

Central nervous system depression, prolonged or repeated exposure can cause: Nausea, dizziness, narcosis, drowsiness.

## **Section 12: Ecological Information**

#### **Toxicity**

No data available

#### Persistence and degradability

No data available

## **Bioaccumulative potential**

No data available

### Mobility in soil

No data available

#### Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### Other adverse effects

No data available

#### **Section 13: Disposal Considerations**

#### Waste treatment methods

#### **Product**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional and national hazardous waste regulations to ensure complete and accurate classification.

#### Contaminated packaging

Dispose of as unused product.

## **Section 14: Transport Information**

DOT (US)

UN number: 1219 Class: 3 Packing group: II

Proper shipping name: Isopropanol Poison Inhalation Hazard: No

**IMDG** 

UN number: 1219 Class: 3 Packing group: II

Proper shipping name: Isopropanol

**IATA** 

UN number: 1219 Class: 3 Packing group: II

Proper shipping name: Isopropanol

# **Section 15: Regulatory Information**

**SARA 302 Components** 

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components** 

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS No.

2-Propanol 67-63-0

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components** 

2-Propanol CAS No. 67-63-0

**Pennsylvania Right To Know Components** 

2-Propanol CAS No. 67-63-0 Water 7732-18-5

**New Jersey Right To Know Components** 

CAS No. 67-63-0

2-Propanol 67-63-0 Water 7732-18-5

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# **Section 16: Other Information**

HMIS RatingNFPA RatingHealth:2Health:Flammability:3Flammability:Reactivity:0Reactivity:

This material is intended for laboratory use only. It is not sold or intended for drug, household or other uses. The information represents the most accurate and complete data currently available to us. However, we make no warranty, express or implied, with respect to such information, and we assume no liability resulting from its use.

2

3

0