

6265 DEAN PARKWAY ONTARIO NY 14519 WWW.SCIPOLY.COM

Technical Data Sheet

MATERIAL: Hydroxyethyl cellulose

CATALOG NUMBER: 967

CAS NUMBER: 9004-62-0

DESCRIPTION: Hydroxyethyl cellulose ether

FORMULA: Unspecified

TYPICAL PROPERTIES:

Appearance: Powder

Viscosity: 4,800-6,000 cp (2% in water @ 25°C)

Density: 1.39 (20°C)
Softening point: >141°C
Degree of substitution: 1.0
Molar substitution: 2.5

Solubility: Diethylenetriamine, DMAC, DMF,

DMSO, ethylenediamine, formalin,

formic acid, phenol, water

GENERAL INFORMATION: Hydroxyethyl cellulose is a nonionic, water-soluble polymer that can

thicken, suspend, bind, emulsify, form films, stabilize, disperse, retain water and provide protective colloid action. It has found use in a wide variety of applications including paint thickening, paper and textile sizing, inks, adhesives, oil production, cement formulations and in latex

polymerization.

STRUCTURE:

Technical information and data regarding the composition, properties or use of the products described herein is believed reliable. However, no representation or warranty is made with respect thereto except as made by Sp^2 in writing at time of sale. Sp^2 cannot assume responsibility for any patent liability which may arise from the use of any product in a process, manner or formula not designed by Sp^2 .