



Section 1: Identification

PRODUCT AND COMPANY INFORMATION

Product Name: alpha-Methyl styrene **Molecular Formula:** C₉H₁₀
Catalog Number: M-101
Company: Scientific Polymer Products, Inc.
6265 Dean Parkway
Ontario, NY 14519
Telephone: 585/265-0413
Fax: 585/265-1390
Website: www.scipoly.com
Emergency Phone Number: 800-255-3924 (CHEM TEL)

Section 2: Hazards Identification

Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Dermal, Category 4, H312
Acute toxicity, Inhalation, Category 4, H332
Acute toxicity, Oral, Category 4, H302
Flammable liquids, Category 3, H226
Hazardous to the aquatic environment, chronic toxicity, Category 2, H411
Serious eye damage/eye irritation, Category 2A, H319
Skin corrosion/irritation, Category 2, H315
Specific target organ toxicity- single exposure, Category 3, Respiratory system, H335

GHS Label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s)

H226 Flammable liquid and vapor.
H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 Avoid breathing dust/fumes/gas/mist/vapors/spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313 IF SKIN irritation occurs: Get medical advice/attention.
P403+P235 Store in a well ventilated place. Keep cool.

Hazards not otherwise classified (HNOC) or not covered by GHS – none

To the best of our knowledge, the toxicological properties of this chemical have not been thoroughly investigated. Use appropriate procedures and precautions to prevent or minimize exposure.

Section 3: Composition/Information on Ingredients

Ingredient	CAS Number	Concentration (%)
alpha-Methyl styrene	98-83-9	100

Section 4: First Aid Measures

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

Section 5: Fire-Fighting Measures

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

No data available.

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13)

Reference to other sections

For disposal see section 13.

Section 7: Handling and Storage**Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition-No smoking. Take measure to prevent the buildup of electrostatic charge. For precautions see section 2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature 2 – 8° C

Specific end use(s)

Laboratory chemicals, Manufacture of substances

Section 8: Exposure Controls/Personal Protection**Exposure controls****Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment**Eye/face protection**

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Impervious clothing. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air purifying respirators are appropriate use a full face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage of spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Section 9: Physical and Chemical Properties

Information on basic physical and chemical properties

a)	Appearance	Form: Liquid
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	pH	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	46° C (115° F) Closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Flammability or explosive limits	
	Upper	No data available
	Lower	No data available
k)	Vapor pressure	No data available
l)	Vapor density	No data available
m)	Relative density	0.909 g/cm ³ @ 25° C (77° F)
n)	Water solubility	Insoluble
o)	Partition coefficient: n- octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

Other safety information

No data available

Section 10: Stability and Reactivity

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

No data available

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents, Peroxides, Organometallic compounds, Metallic salts

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions- Carbon oxides

Other decomposition products- no data available

In the event of fire: see section 5

Section 11: Toxicological Information

Information on toxicological effects

Acute toxicity

LD50 Oral: Rat-male and female-2,840 mg/kg

LC50 Inhalation: Rat-male-6 h- 22.85 mg/l

LD50 Dermal: Rabbit-male-14,560 mg/kg

Skin corrosion/irritation

Skin- Rabbit

Result: Mild skin irritation- 4 h

Serious eye damage/eye irritation

Eyes- rabbit

Result: Mild eye irritation- 24 h

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Ames test

S. typhimurium

Result: Negative

Hamster

Lungs

Result: Negative

Mutagenicity (micronucleus test)

Mouse- male

Result: Negative

Carcinogenicity

IARC: 2B- Group 2B: Possibly carcinogenic to humans (2-Phenylpropene)

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation- May cause respiratory irritation

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: WL5075300

Section 12: Ecological Information

Toxicity

Toxicity to algae

Static test LC50- Danio rerio (zebra fish)- 2.97 mg/l- 96 h
(OECD Test Guideline 203)

Toxicity to daphnia and
Other aquatic invertebrates

Static test EC50-Daphnia magna (Water flea)- 1.645 mg/l- 48 h
(OECD Test Guideline 202)

Toxicity to algae

Static test EC50-Desmodesmus subspicatus (Green algae)-11.44 mg/l- 72 h

(OECD Test Guideline 201)

Toxicity to bacteria Respiration inhibition EC50- Sludge Treatment- > 2,000 mg/l- 3 h
(OECD Test Guideline 209)

Persistence and degradability

Biodegradability Aerobic- Exposure time 28 d
Result: 56% - Not readily biodegradable
(OECD Test Guideline 301D)

Bioaccumulative potential

Bioaccumulation Cyprinus carpio (Carp)- 56 d
at 25° C-0.3 mg/l

Bioconcentration factor (BCF): 15-140
(OECD Test Guideline 305)

Mobility in soil

No data available

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

Avoid release to the environment.

Section 13: Disposal Considerations

Waste treatment methods

Product

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional and national hazardous waste regulations to ensure complete and accurate classification.

Contaminated packaging

Dispose of as unused product.

Section 14: Transport Information

DOT (US)

UN number: 2303 Class: 3 Packing group: III
Proper shipping name: Isopropenylbenzene
Poison Inhalation Hazard: No

IMDG

UN number: 2303 Class: 3 Packing group: III
Proper shipping name: Isopropenylbenzene
Marine pollutant: Yes

IATA

UN number: 2303 Class: 3 Packing group: III
Proper shipping name: Isopropenylbenzene

Section 15: Regulatory Information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

alpha-Methyl styrene	CAS No. 98-83-9
----------------------	--------------------

Pennsylvania Right To Know Components

alpha-Methyl styrene	CAS No. 98-83-9
----------------------	--------------------

New Jersey Right To Know Components

alpha-Methyl styrene	CAS No. 98-83-9
----------------------	--------------------

California Prop. 65 Components

WARNING! This product contains a chemical Known to the state of California to cause cancer.	CAS No.
--	---------

alpha-Methyl styrene	98-83-9
----------------------	---------

Section 16: Other Information

HMIS Rating

Health:	2
Flammability:	2
Reactivity:	0

NFPA Rating

Health:	2
Flammability:	2
Reactivity:	0

This material is intended for laboratory use only. It is not sold or intended for drug, household or other uses. The information represents the most accurate and complete data currently available to us. However, we make no warranty, express or implied, with respect to such information, and we assume no liability resulting from its use.