

**SAFETY DATA SHEET**

Revision Date: 08/14/17

Section 1: Identification**PRODUCT AND COMPANY INFORMATION**

Product Name: Isobutyl methacrylate **Molecular Formula:** C₈H₁₄O₂

Catalog Number: M-113

Company: Scientific Polymer Products, Inc.
6265 Dean Parkway
Ontario, NY 14519

Telephone: 585/265-0413
Fax: 585/265-1390
Website: www.scipoly.com

Emergency Phone Number: 800-255-3924 (CHEM TEL)

Section 2: Hazards Identification**Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Flammable liquids, Category 3, H226

Skin irritation, Category 2, H315

Eye irritation, Category 2A, H319

Skin sensitization, Category 1, H317

Specific target organ toxicity- single exposure, Category 3, Respiratory system, H335

Acute aquatic toxicity, Category 1, H400

GHS Label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s)

H226 Flammable liquid and vapor.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fumes/gas/mist/vapors/spray.

P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340+P312	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	IF SKIN irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P370+P378	In case of fire: Use dry sand, dry chemical or alcohol resistant foam for extinction.
P391	Collect spillage.
P403+P233	Store in a well ventilated place. Keep container tightly closed.
P403+P235	Store in a well ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS – none

To the best of our knowledge, the toxicological properties of this chemical have not been thoroughly investigated. Use appropriate procedures and precautions to prevent or minimize exposure.

Section 3: Composition/Information on Ingredients

Ingredient	CAS Number	Concentration (%)
Isobutyl methacrylate	97-86-9	100

Section 4: First Aid Measures

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

Section 5: Fire-Fighting Measures

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

No data available.

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13)

Reference to other sections

For disposal see section 13.

Section 7: Handling and Storage

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition-No smoking. Take measure to prevent the buildup of electrostatic charge. For precautions see section 2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature 2 – 8° C

Storage class (TRGS 510): Flammable liquids

Specific end use(s)

Laboratory chemicals, Manufacture of substances

Section 8: Exposure Controls/Personal Protection

Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air purifying respirators are appropriate use a full face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage of spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Section 9: Physical and Chemical Properties

Information on basic physical and chemical properties

a)	Appearance	Form: Liquid
b)	Odor	Ester-like
c)	Odor Threshold	No data available
d)	pH	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	155° C/ 311° F @ 1,013 hPa
g)	Flash point	43° C / 109° F (Pensky Martens closed cup)
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Flammability or explosive limits	
	Upper	No data available
	Lower	No data available
k)	Vapor pressure	No data available
l)	Vapor density	No data available
m)	Relative density	0.89 g/cm ³ @ 20° C (68° F)
n)	Water solubility	ca.0.6 g/l at 20° C (68° F)
o)	Partition coefficient: n- octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

Other safety information

No data available

Section 10: Stability and Reactivity

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

No data available

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Oxidizing agents, Strong acids, Strong bases

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions- Carbon oxides

Other decomposition products- no data available

In the event of fire: see section 5

Section 11: Toxicological Information

Information on toxicological effects

Acute toxicity

LD50 Oral: Rat-male and female-9,590 mg/kg

Inhalation: No data available

LD50 Dermal: Guinea pig->17,760 mg/kg

Skin corrosion/irritation

Skin- Rabbit

Result: Irritating to skin- 24 h

Serious eye damage/eye irritation

Eyes- Rabbit

Result: Moderate eye irritation

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Ames test

S. typhimurium

Result: Negative

Mutagenicity (micronucleus test)

Mouse- male and female

Result: Negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Rat-Intraperitoneal

Effects on fertility: Post implantation mortality (e.g. dead and/or reabsorbed implants per total number of implants)

Developmental toxicity-Rat-Intraperitoneal

Effects on embryo or fetus: Fetotoxicity (except death, e.g. stunted fetus). Specific Developmental Abnormalities:

Other developmental abnormalities

Specific target organ toxicity - single exposure

Inhalation- May cause respiratory irritation

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Section 12: Ecological Information**Toxicity**

Toxicity to algae	LC50- Oncorhynchus mykiss (Rainbow trout)- 20.0 mg/l- 96 h (OECD Test Guideline 203)
Toxicity to daphnia and Other aquatic invertebrates	Immobilization EC50-Daphnia magna (Water flea)- 29 mg/l- 48 h (OECD Test Guideline 202)
Toxicity to algae	Growth inhibition EC50-Scenedesmus capricornutum (Fresh water algae)-0.29 mg/l- 96 h (OECD Test Guideline 201)

Persistence and degradability

Biodegradability	Aerobic- Exposure time 28 d Result: 74.3% - Readily biodegradable (OECD Test Guideline 301D)
------------------	--

Biochemical Oxygen Demand (BOD)	600 mg/l
------------------------------------	----------

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

Avoid release to the environment.

Section 13: Disposal Considerations**Waste treatment methods****Product**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional and national hazardous waste regulations to ensure complete and accurate classification.

Contaminated packaging

Dispose of as unused product.

Section 14: Transport Information**DOT (US)**

UN number: 2283 Class: 3 Packing group: III
Proper shipping name: Isobutyl methacrylate, stabilized
Poison Inhalation Hazard: No

IMDG

UN number: 2283 Class: 3 Packing group: III
Proper shipping name: Isobutyl methacrylate, stabilized
Marine pollutant: Yes

IATA

UN number: 2283 Class: 3 Packing group: III
Proper shipping name: Isobutyl methacrylate, stabilized

Section 15: Regulatory Information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Massachusetts Right To Know Components

Isobutyl methacrylate	CAS No. 97-86-9
-----------------------	--------------------

Pennsylvania Right To Know Components

Isobutyl methacrylate	CAS No. 97-86-9
-----------------------	--------------------

New Jersey Right To Know Components

Isobutyl methacrylate	CAS No. 97-86-9
-----------------------	--------------------

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Section 16: Other Information

HMIS Rating

Health:	2
Flammability:	2
Reactivity:	0

NFPA Rating

Health:	2
Flammability:	2
Reactivity:	0

This material is intended for laboratory use only. It is not sold or intended for drug, household or other uses. The information represents the most accurate and complete data currently available to us. However, we make no warranty, express or implied, with respect to such information, and we assume no liability resulting from its use.