## **SAFETY DATA SHEET**

Revision Date: 08/08/17

### Section 1: Identification

### PRODUCT AND COMPANY INFORMATION

**Product Name:** 2,3-Epoxypropyl methacrylate **Molecular Formula:**  $C_7H_{10}O_3$ 

Catalog Number(s): M-128

Company: Scientific Polymer Products, Inc.

> 6265 Dean Parkway Ontario, NY 14519

Telephone: 585/265-0413 Fax: 585/265-1390 Website: www.scipoly.com

**Emergency Phone Number:** 800-255-3924 (CHEM TEL)

#### Section 2: Hazards Identification

### Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids, Category 4, H227 Acute toxicity, Oral, Category 4, H302 Acute toxicity, Dermal, Category 3, H311 Skin corrosion, Category 1C, H314 Serious eye damage, Category 1, H318 Skin sensitization, Category 1, H317 Germ cell mutagenicity, Category 2, H341 Carcinogenicity, Category 1B, H350

Reproductive toxicity, Category 1B, H360

Specific target organ toxicity – single exposure -Inhalation, Category 1, Respiratory Tract, H370

### GHS Label elements, including precautionary statements

# **Pictogram**



Signal word Danger

Hazard statement(s)

Combustible liquid. H227 H302 Harmful if swallowed. H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage. May cause an allergic skin reaction. H317 Suspected of causing genetic defects. H341

H350 May cause cancer.

H360 May damage fertility or the unborn child

Causes damage to organs (Respiratory Tract) if inhaled. H370

Precautionary statement(s)

P201 Obtain special instructions before use.

D202	Do wat bandle with all sefety presentions have been read and windowstand
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/eye protection/face protection.
P281	Use personal protective equipment as required.
P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN: Remove/Take off immediately all contaminated clothing. Rinse skin with
	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for
	breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P307+P311	IF exposed or if you feel unwell: Call a POSION CENTER or doctor/physician.
P310	Immediately call a POISON CENTER or doctor/physician.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P403+P235	Store in a well ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# Hazards not otherwise classified (HNOC) or not covered by GHS - none

To the best of our knowledge, the toxicological properties of this chemical have not been thoroughly investigated. Use appropriate procedures and precautions to prevent or minimize exposure.

# Section 3: Composition/Information on Ingredients

Ingredient	CAS Number	Concentration (%)
2,3-Epoxypropyl methacrylate	106-91-2	100

# **Section 4: First Aid Measures**

# Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

## In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital

# If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician

## Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

#### Indication of any immediate medical attention and special treatment needed

# **Section 5: Fire-Fighting Measures**

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## Special hazards arising from the substance or mixture

No data available

## Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

## **Further information**

Use water spray to cool unopened containers

### **Section 6: Accidental Release Measures**

## Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

## **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

#### Reference to other sections

For disposal see section 13.

### **Section 7: Handling and Storage**

### **Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition- No smoking. Take measures to prevent the buildup of electrostatic charge. For precautions see section 2.

# Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

# Recommended storage temperature 2 – 8° C

Storage class (TRGS 510): Non-combustible, acute toxic Cat. 3/ toxic hazardous materials or hazardous materials causing chronic effects.

# Specific end use(s)

Laboratory chemicals, Manufacture of substances

# **Section 8: Exposure Controls/Personal Protection**

#### **Control parameters**

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
2,3-Epoxypropyl methacrylate	106-91-2	TWA	0.5 ppm	USA. Workplace Environmental Exposure Levels (WEEL)

Remarks:	Skin
	Dermal Sensitization Notation

#### **Exposure controls**

## Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

## Personal protective equipment

### Eye/face protection

Tightly fitting safety goggles. Face shield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body Protection**

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Where risk assessment shows air purifying respirators are appropriate use a full face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage of spillage if safe to do so. Do not let product enter drains.

## **Section 9: Physical and Chemical Properties**

## Information on basic physical and chemical properties

a)	Appearance	Form: Liquid
b)	Odor	Pungent
c)	Odor Threshold	No data available
d)	pH	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	~167° F (75° C)(closed cup)
ĥ)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Flammability or explosive limits	
	Upper	No data available
	Lower	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Relative density	0.954 @ 25° C (77° F)
n)	Water solubility	Negligible
o)	Partition coefficient: n- octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	5 cp
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

# Other safety information

No data available

# Section 10: Stability and Reactivity

### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

### Possibility of hazardous reactions

No data available

#### Conditions to avoid

Heat, flames and sparks

### **Incompatible materials**

Strong oxidizing agents, strong acids and strong bases, peroxides

### **Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions- Carbon oxides

Other decomposition products- no data available

In the event of fire: see section 5

## **Section 11: Toxicological Information**

### **Acute toxicity**

LD50 Oral-Rat-597 mg/kg

Inhalation: No data available

LD50 Dermal – rabbit – 480 mg/kg

### Skin Corrosion/Irritation

Skin-Rabbit

Result: Corrosive, category 1C-where responses occur after exposures between 1 hour and 4 hours and

observations up to 14 days (OECD Test Guideline 404)

### Serious Eye Damage/Eye Irritation

Eyes- Rabbit

Result: Risk of serious damage to eyes -7 d

# **Respiratory or Skin Sensitization**

No data available

## **Germ Cell Mutagenicity**

In vitro tests showed mutagenic effects

### Carcinogenicity:

Possible human carcinogen

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable,

possible or confirmed human carcinogen by NTP.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as probable,

possible or confirmed human carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as probable,

possible or confirmed human carcinogen by OSHA.

# **Reproductive Toxicity**

No data available

## Specific Target Organ Toxicity - Single Exposure

Inhalation- The substance or mixture is classified as specific target organ toxicant, single exposure, category 1-Respiratory Tract

### Specific Target Organ Toxicity - Repeated Exposure

No data available

### **Aspiration Hazard**

No data available

#### Additional Information:

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **Section 12: Ecological Information**

Toxicity

Toxicity to fish Semi static test LC50-Oryzias latipes - 5.7 mg/l -96 h

(OECD Test Guideline 203)

Toxicity to daphnia and

other aquatic invertebrates

Semi-static test EC50- Daphnia magna (Water flea) – 24.9 mg/l – 48 h

(OECD Test Guideline 202)

Toxicity to algae Static test IC50- Selenastrum capricornutum (Green algae) – 14.6 mg/l – 72 h

Persistence & Degradability

Biodegradability

Aerobic biochemical oxygen demand – Exposure time 28 d

Result: 94% - Readily biodegradeable

(OECD Test Guideline 301C)

**Bioaccumulation Potential** 

No data available

**Mobility in Soil** 

No data available

#### Results of PBT and vPvB Assessment:

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

### **Other Adverse Effects**

No data available

# **Section 13: Disposal Considerations**

### Waste treatment methods

### **Product**

Offer surplus and no-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### Contaminated packaging

Dispose of as unused product.

### **Section 14: Transport Information**

DOT (US)

UN number: 3265 Class: 8 Packing group: III

Proper shipping name: Corrosive liquids, acidic, organic, n.o.s. (2,3-Epoxypropyl methacrylate)

Poison Inhalation Hazard: No

**IMDG** 

UN number: 3265 Class: 8 Packing group: III

Proper shipping name: Corrosive liquids, acidic, organic, n.o.s. (2,3-Epoxypropyl methacrylate)

Marine pollutant: No

IATA

UN number: 3265 Class: 8 Packing group: III

Proper shipping name: Corrosive liquids, acidic, organic, n.o.s. (2,3-Epoxypropyl methacrylate)

## **Section 15: Regulatory Information**

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Reactivity Hazard, Acute Health Hazard, Chronic Health Hazard, Fire Hazard

## **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right-to-Know Act.

### **Pennsylvania Right To Know Components**

CAS No. 2,3-Epoxypropyl methacrylate 106-91-2 Oxirane, (chloromethyl)-106-89-8

### **New Jersey Right To Know Components**

No components are subject to the New Jersey Right-to-Know Act.

## California Prop. 65 Components

WARNING: This product contains a chemical known to the state of California to cause birth defects or other

reproductive harm.

CAS No. 106-89-8

Oxirane, (chloromethyl)-

### Section 16: Other Information

**HMIS Rating NFPA Rating** 

Health: 2 Health: 2 Flammability: 2 Flammability: 2 Reactivity: Reactivity:

This material is intended for laboratory use only. It is not sold or intended for drug, household or other uses. The information represents the most accurate and complete data currently available to us. However, we make no warranty, express or implied, with respect to such information, and we assume no liability resulting from its use.