



SAFETY DATA SHEET

Revision Date: 08/08/24

Section 1: Identification

PRODUCT AND COMPANY INFORMATION

Product Name:	Isobutyl acrylate	Molecular Formula:	$C_7H_{12}O_2$
Catalog Number(s):	M-134		
Company:	Scientific Polymer Products, Inc. 6265 Dean Parkway Ontario, NY 14519		
Telephone:	585/265-0413		
Fax:	585/265-1390		
Website:	www.scipoly.com		
Emergency Phone Number:	800-255-3924 (CHEM TEL)		

Section 2: Hazards Identification

Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids, Category 3, H226
 Acute toxicity, Inhalation, Category 4, H332
 Acute toxicity, Dermal, Category 4, H312
 Skin irritation, Category 2, H315
 Skin sensitization, Category 1, H317
 Specific target organ toxicity-single exposure, Category 3, Respiratory system, H335
 Acute aquatic toxicity, Category 2, H401
 Chronic aquatic toxicity, Category 3, H412

GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H226	Flammable liquid and vapor.
H312+H332	Harmful in contact with skin or if inhaled.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H401	Toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P210	Keep away from heat/sparks/open flames/hot surface – No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.

P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release into the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	Wear respiratory protection.
P303+P361+P353	IF ON SKIN (or hair), remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340+P312	IF INHALED, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P370+P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403+P233	Store in a well ventilated place. Keep container tightly closed.
P403+P235	Store in a well ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS – None

To the best of our knowledge, the toxicological properties of this chemical have not been thoroughly investigated. Use appropriate procedures and precautions to prevent or minimize exposure.

Section 3: Composition/Information on Ingredients

Ingredient	CAS Number	Concentration (%)
Isobutyl acrylate	106-63-8	< =100%

Section 4: First Aid Measures

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

Section 5: Fire-Fighting Measures

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

Carbon oxides

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

Section 7: Handling and Storage

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition – No smoking. Take measures to prevent the buildup of electrostatic charge. For precautions see section 2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage Class (TRGS 510): Flammable liquids

Specific end use(s)

Laboratory chemicals, Manufacture of substances

Section 8: Exposure Controls/Personal Protection

Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air purifying respirators are appropriate use a full face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage of spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Section 9: Physical and Chemical Properties

Information on basic physical and chemical properties

a)	Appearance	Form: Liquid
b)	Odor	Ester-like
c)	Odor Threshold	No data available
d)	pH	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	32° C (90° F) Closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Flammability or explosive limits	
	Upper	No data available
	Lower	No data available
k)	Vapor pressure	No data available
l)	Vapor density	No data available
m)	Relative density	No data available
n)	Water solubility	1.8 g/l (25°C)
o)	Partition coefficient: n- octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

Other safety information

No data available

Section 10: Stability and Reactivity

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions

Possibility of hazardous reactions

Vapors may form explosive mixture with air

Conditions to avoid

Heat, flames and sparks

Incompatible materials

Strong oxidizing agents, Aldehydes, Azides

Hazardous decomposition products

Other decomposition products- No data available

In the event of fire: see section 5

Section 11: Toxicological Information**Acute toxicity**

LD50 Oral- Rat- male and female- 470 mg/kg
(OECD Test Guideline 401)

LC50 Inhalation – Rat – 4 h – 2828 ppm

Skin Corrosion/Irritation

Skin- Rabbit

Result: Irritating to skin- 20 h

Serious Eye Damage/Eye Irritation

Eyes- Rabbit

Result: No eye irritation

Respiratory or Skin Sensitization

No data available

Germ Cell Mutagenicity

Ames test

S. typhimurium

Result: Negative

OECD Test Guideline 474

Mouse- male and female

Result: Negative

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive Toxicity

No data available

Specific Target Organ Toxicity – Single Exposure

No data available

Specific Target Organ Toxicity – Repeated Exposure

No data available

Aspiration Hazard

No data available

Additional Information:

RTECS: AT2100000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Section 12: Ecological Information

Toxicity

Toxicity to fish	Flow through test LC50-Pimephales promelas (fathead minnow) -2.09 mg/l- 96 h
Toxicity to daphnia and other aquatic invertebrates	Static test EC50- Daphnia magna (Water flea) – 19.8 mg/l – 48 h (Directive 67/548/EEC, Annex V, C.2)
Toxicity to algae	Static test EC50-Desmodesmus subspicatus (green algae)- 5.28 mg/l- 72 h (OECD Test Guideline 201)
Toxicity to bacteria	Respiration inhibition EC50- Sludge Treatment > 1,000 mg/l- 30 min (OECD Test Guideline 209)

Persistence & Degradability

Biodegradability	Aerobic- Exposure time 28 d Result: 80 - 90% - Readily biodegradable
------------------	---

Bioaccumulation Potential

No data available

Mobility in Soil

No data available

Results of PBT and vPvB Assessment:

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other Adverse Effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life

Section 13: Disposal Considerations

Waste treatment methods

Product

Offer surplus and no-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

Section 14: Transport Information

DOT (US)

UN number: 2527	Class: 3	Packing group: III
Proper shipping name: Isobutyl acrylate, stabilized		
Poison Inhalation Hazard: No		

IMDG

UN number: 2527	Class: 3	Packing group: III
Proper shipping name: Isobutyl acrylate, stabilized		

IATA

UN number: 2527	Class: 3	Packing group: III
Proper shipping name: Isobutyl acrylate, stabilized		

Section 15: Regulatory Information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Massachusetts Right to Know Components

No components are subject to the Massachusetts Right to Know Act

Pennsylvania Right to Know Components

	CAS No.
Isobutyl acrylate	106-63-8

New Jersey Right to Know Components

	CAS No.
Isobutyl acrylate	106-63-8

California Prop. 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 16: Other Information

HMIS Rating

Health:	2
Flammability:	3
Reactivity:	0

NFPA Rating

Health:	2
Flammability:	3
Reactivity:	0

This material is intended for laboratory use only. It is not sold or intended for drug, household or other uses. The information represents the most accurate and complete data currently available to us. However, we make no warranty, express or implied, with respect to such information, and we assume no liability resulting from its use.