www.scipoly.com

SAFETY DATA SHEET

Revision Date: 08/08/24

Section 1: Identification

PRODUCT AND COMPANY INFORMATION

Product Name: Acrylic acid **Molecular Formula:** $C_3H_4O_2$

Catalog Number: M-150

Scientific Polymer Products, Inc. Company:

> 6265 Dean Parkway Ontario, NY 14519

Telephone: 585/265-0413 Fax: 585/265-1390 Website: www.scipoly.com

Emergency Phone Number: 800-255-3924 (CHEM TEL)

Section 2: Hazards Identification

Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids, Category 3, H226 Acute toxicity, Oral, Category 4, H302 Acute toxicity, Inhalation, Category 4, H332 Acute toxicity, Dermal, Category 4, H312 Skin corrosion, Category 1, H314

Serious eye damage, Category 1, H318

Specific target organ toxicity- single exposure, Category 3, Respiratory system, H335

Acute aquatic toxicity, Category 1, H400

GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

Flammable liquid and vapor. H226

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage. H314

H318 Causes serious eve damage. H335 May cause respiratory irritation. H400 Very toxic to aquatic life.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261	Avoid breathing dust/fumes/gas/mist/vapors/spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301+P312+P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse
	mouth.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN(or hair): Take off immediately all contaminated clothing. Rinse skin with
	water/shower.
P304+P340+P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately
	call a POISON CENTER/doctor.
P305+P351+P338+P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use dry sand, dry chemical or alcohol resistant foam to extinguish.
P391	Collect spillage.
P403+P233	Store in a well ventilated place. Keep container tightly closed.
P403+P235	Store in a well ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant

Hazards not otherwise classified (HNOC) or not covered by GHS – none

To the best of our knowledge, the toxicological properties of this chemical have not been thoroughly investigated. Use appropriate procedures and precautions to prevent or minimize exposure.

Section 3: Composition/Information on Ingredients

Ingredient	CAS Number	Concentration (%)
Acrylic acid	79-10-7	100

Section 4: First Aid Measures

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

Section 5: Fire-Fighting Measures

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

Flash back possible over considerable distance.

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13)

Reference to other sections

For disposal see section 13.

Section 7: Handling and Storage

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Keep away from sources of ignition-No smoking. Take measure to prevent the buildup of electrostatic charge. For precautions see section 2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hygroscopic.

Storage class (TRGS 510): Flammable liquids

Specific end use(s)

Laboratory chemicals, Manufacture of substances

Section 8: Exposure Controls/Personal Protection

Exposure Guidelines

Component	CAS No.	Value	Control parameters	Basis
Acrylic acid	79-10-7	TWA	2.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks		Upper Respiratory Tract Irritation	
			Not classifiable as a human carcinogen	
			Danger of cutaneous absorption	

Т	ΓWA	2.000000 ppm	USA. NIOSH Recommended
		6.000000 mg/m3	Exposure Limits
P	Potential for dermal absorption		
P	PEL	2 ppm	California permissible exposure limits for
		5.9 mg/m3	chemical contaminants
			(Title 8, Article 107)
S	Skin		

Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air purifying respirators are appropriate use a full face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage of spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Section 9: Physical and Chemical Properties

Information on basic physical and chemical properties

a)	Appearance	Form: Liquid
b)	Odor	Stench
c)	Odor Threshold	No data available
d)	pH	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Flammability or explosive limits	
•	Upper	No data available
	Lower	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Relative density	No data available
n)	Water solubility	Completely miscible
o)	Partition coefficient: n- octanol/water	No data available

p) q) r) s)	Auto-ignition temperature Decomposition temperature Viscosity Explosive properties	No data available No data available No data available No data available
t)	Oxidizing properties	No data available

Other safety information

No data available

Section 10: Stability and Reactivity

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Reacts violently in contact with acids, amines, driers, polymerization accelerators and easily oxidized materials. Polymerization can occur.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents, strong bases, oxygen, polymerizing initiators, peroxides

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions- Carbon oxides Other decomposition products- no data available

In the event of fire: see section 5

Section 11: Toxicological Information

Information on toxicological effects

Acute toxicity

No data available

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen

or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or

anticipated carcinogen by NTP.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen OSHA:

or potential carcinogen by OSHA.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

No data available

Section 12: Ecological Information

Toxicity

Toxicity to algae Static test EC50- Desmodesmus subspicatus (green algae)- 0.205 mg/l- 72 h

Persistence and degradability

Biodegradeability Aerobic-Exposure time 28 d

Result: 80 – 90% - Readily biodegradeable

(OECD Test Guideline 301D)

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life.

Section 13: Disposal Considerations

Waste treatment methods

Product

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional and national hazardous waste regulations to ensure complete and accurate classification.

Contaminated packaging

Dispose of as unused product.

Section 14: Transport Information

Packing group: II

DOT (US)

UN number: 2218 Class: 8 (3)

Proper shipping name: Acrylic acid, stabilized

Reportable quantity (RQ): 5000 lbs

Marine pollutant: Yes

Poison Inhalation Hazard: No

IMDG

UN number: 2218 Class: 8 (3) Packing group: II

Proper shipping name: Acrylic acid, stabilized

Marine pollutant: Yes

IATA

UN number: 2218 Class: 8 (3) Packing group: II

Proper shipping name: Acrylic acid, stabilized

Section 15: Regulatory Information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS No.

Acrylic acid 79-10-7

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right to Know Components

CAS No. Acrylic acid 79-10-7

Pennsylvania Right to Know Components

CAS No. Acrylic acid 79-10-7

New Jersey Right to Know Components

CAS No. Acrylic acid 79-10-7

California Prop. 65 Components

This product does not contain any chemicals known to the state of California to cause cancer, birth defects, or any other reproductive harm.

Section 16: Other Information

HMIS Rating NFPA Rating

Health:1Health:1Flammability:2Flammability:2Reactivity:0Reactivity:0

This material is intended for laboratory use only. It is not sold or intended for drug, household or other uses. The information represents the most accurate and complete data currently available to us. However, we make no warranty, express or implied, with respect to such information, and we assume no liability resulting from its use.