



Section 1: Identification

PRODUCT AND COMPANY INFORMATION

Product Name: 2-(2-Ethoxyethoxy)ethyl acrylate
Catalog Number(s): M-181 Molecular Formula: C9H16O4
Company: Scientific Polymer Products, Inc.
6265 Dean Parkway
Ontario, NY 14519
Telephone: 585/265-0413
Fax: 585/265-1390
Website: www.scipoly.com
Emergency Phone Number: 800-255-3924 (CHEM TEL)

Section 2: Hazards Identification

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS)

Dermal: Acute toxicity, Category 4, H312
Skin Irritation, Category 2, H315
Eye Irritation, Category 2B, H320
Skin sensitization, Sub-category 1A, H317

GHS Label elements, including precautionary statements

Pictogram(s)

Signal [Warning Pictogram] Word: Warning

Hazard Statement(s)
H312 Harmful in contact with skin.
H315+H320 Causes skin and eye irritation.
H317 May cause an allergic skin reaction.

Precautionary Statement(s)
P261 Avoid breathing dust/ fume/ gas/ mist/vapors/ spray.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 IF IN EYES, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P332+P313 If skin irritation occurs, get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.
P501 Dispose of contents/container to an approved waste disposal plant.

Hazards Not Otherwise Classified (HNOC) or Not Covered by GHS: No data available

To the best of our knowledge, the toxicological properties of this chemical have not been thoroughly investigated. Use appropriate procedures and precautions to prevent or minimize exposure.

### Section 3: Composition/Information on Ingredients

Ingredient	CAS Number	Concentration (%)
2-(2-Ethoxyethoxy)ethyl acrylate	7328-17-8	100

### Section 4: First Aid Measures

#### Description of First Aid Measures

##### General Advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

##### Inhalation

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

##### Skin Contact

Get medical attention. Remove contaminated clothing and shoes. In case of contact, immediately flush skin with plenty of water while removing contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse.

##### Eye Contact

Immediately flush eye(s) with plenty of water. Get medical attention if irritation persists.

##### Ingestion

If swallowed, DO NOT induce vomiting. Get medical attention. Never give anything by mouth to an unconscious person.

##### Most Important Symptoms and Effects, Both Acute and Delayed

The most important known symptoms and effects are described in the labelling (see Section 2) and/or Section 11.

##### Indication of Any Immediate Medical Attention and Special Treatment Needed

No data available

### Section 5: Fire-Fighting Measures

#### Extinguishing Media

##### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide

##### Special Hazards Arising from the Substance of Mixture

When burned, the following hazardous products of combustion can occur: Carbon oxides, Hazardous organic compounds, Polymerization is exothermic and can degenerate into an uncontrolled reaction

##### Advice for Fire-Fighting

Wear self-contained breathing apparatus for fire-fighting if necessary.

##### Further Information

Cool closed containers exposed to fire with water spray. Fight fire from a protected location. Closed containers of this material may explode when subjected to heat from surrounding fire. Fire fighting equipment should be thoroughly decontaminated after use.

### Section 6: Accidental Release Measures

#### Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Prevent further leakage or spillage if you can do so without risk. For personal protection see section 8.

## Environmental Precautions

Do not let product enter drains.

## Methods and Materials for Containment and Cleaning Up

Contain and collect spillage with non-combustible absorbent material such as clean sand, earth, diatomaceous earth or non-acidic clay and place into suitable properly labeled containers for prompt disposal. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits.

## Section 7: Handling and Storage

### Precautions for Safe Handling

Avoid contact with skin and eyes. Avoid breathing processing vapor or mist. Wash thoroughly after handling. Emptied container retains vapor and product residue. Observe all labeled safeguards until container is cleaned, reconditioned or destroyed. For precautions see section 2.

### Conditions for Safe Storage, Including any Incompatibilities

Store out of direct sunlight in a cool well-ventilated place. Keep stabilizer levels constant to avoid explosive polymerization. An air space is required above the liquid in all containers; avoid storage under an oxygen free atmosphere. Inhibitor levels should be maintained- the typical shelf-life for this product is 6 months.

Store separate from: Strong oxidizing agents, Strong reducing agents, Free radical generators, Inert gas, Oxygen scavenger, peroxides

Temperature tolerance- Do not store below: 32° F (0° C)

Temperature tolerance- Do not store above: 100° F (38° C)

### Specific End-Use(s)

Laboratory chemicals, Synthesis of substances

## Section 8: Exposure Controls/Personal Protection

### Control Parameters

#### Components with Workplace Control Parameters

Contains no substances with occupational exposure limit values.

### Exposure Controls

#### Appropriate Engineering Controls

Handle in accordance with good industrial hygiene and safety practice. Investigate engineering techniques to reduce exposures. Provide ventilation if necessary to minimize exposures. If practical, use local mechanical exhaust ventilation at sources of air contamination such as open process equipment. Wash hands before breaks and at the end of workday.

### Personal Protective Equipment

#### Eye/Face Protection

Chemical goggles. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

#### Skin Protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Body Protection

Wear appropriate chemical resistant protective clothing. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory Protection

Avoid breathing processing vapor or mist. Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of Environmental Exposure

Do not let product enter drains.

## Section 9: Physical and Chemical Properties

### Information on basic physical and chemical properties

a)	Appearance	Form: Liquid
b)	Odor	Slightly acrylic
c)	Odor Threshold	No data available
d)	pH	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	95° C (203° F) 4.8 mmHg
g)	Flash point	114° C (237° F)- Pinsky-Martens closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
l)	Vapor density	No data available
m)	Relative density	1.004-1.028 (25° C (77° F))
n)	Water solubility	Negligible
o)	Partition coefficient: n- octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

### Other safety information

No data available

## Section 10: Stability and Reactivity

### Reactivity

No data available

### Chemical Stability

Stable under recommended storage conditions. However, this material can undergo hazardous polymerization.

### Possibility of Hazardous Reactions

Hazardous polymerization may occur. Polymerization is exothermic and can degenerate into an uncontrolled reaction.

### Conditions to Avoid

This material polymerizes exothermically in the presence of heat, contamination, oxygen free atmosphere, free radicals, peroxides and inhibitor depletion liberating heat. Avoid direct sunlight. DO NOT expose to ultraviolet light.

### Incompatible Materials

Strong oxidizing agents, Strong reducing agents, Free radical generators, Inert gas, Oxygen scavenger, Peroxides

### Hazardous Decomposition Products

Thermal decomposition giving flammable and toxic products: Carbon oxides, Acrylates, Hazardous organic compounds

In the event of a fire, see Section 5.

## Section 11: Toxicological Information

### Information on Toxicological Effects:

#### Acute Toxicity

Dermal: Harmful in contact with skin. (Rabbit) LD50 > 1.000 mg/kg (skin burns)

#### Skin Corrosion/Irritation

Causes skin irritation (Rabbit) Irritation Index: 3.6/8.00 (4 h) signs: Recovery slow

Causes severe skin burns (Rabbit) Irritation Index: 5.2/8.0 (24 h) (occluded exposure)

#### Serious Eye Damage/Eye Irritation

Causes eye irritation (Rabbit) Irritation Index: 24.8/110

#### Respiratory or Skin Sensitization

May cause allergic skin reaction. Guinea pig maximization test (Guinea pig) Skin allergy was observed

Human experience: Skin allergy was observed. Possible cross sensitization with other acrylates and methacrylates

#### Germ Cell Mutagenicity

No data available

#### Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.

#### Reproductive Toxicity

No data available

#### Specific Target Organ Toxicity – Single Exposure

No data available

#### Specific Target Organ Toxicity – Repeated Exposure

No data available

#### Aspiration Hazard

No data available

#### Additional Information:

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## Section 12: Ecological Information

#### Toxicity

No data available

#### Persistence & Degradability

No data available

#### Bioaccumulation Potential

No data available

**Mobility in Soil**

No data available

**Results of PBT and vPvB Assessment:**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

**Other Adverse Effects**

No data available

**Section 13: Disposal Considerations****Waste treatment methods****Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service for disposal of this material.

**Contaminated packaging**

Dispose of as unused product.

**Section 14: Transport Information****DOT (US)**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

**Section 15: Regulatory Information****SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**SARA 311/312 Hazards**

Acute Health Hazard, Reactivity Hazard

**Massachusetts Right-to-Know Components**

No components are subject to the Massachusetts Right to Know Act

**Pennsylvania Right-to-Know Components**

	CAS-No.
2-(2-Ethoxyethoxy)ethyl acrylate	7328-17-8

**New Jersey Right-to-Know Components**

	CAS-No.
2-(2-Ethoxyethoxy)ethyl acrylate	7328-17-8

**California Proposition 65 Components**

Warning! This product contains a chemical known to the State of California to cause cancer.

	CAS No.
Benzene, methyl-	108-88-3

## Section 16: Other Information

**HMIS Rating**

Health hazard: 2  
Flammability: 1  
Physical Hazard: 1

**NFPA Rating**

Health hazard: 2  
Flammability: 1  
Physical Hazard: 1

This material is intended for laboratory use only. It is not sold or intended for drug, household or other uses. The information represents the most accurate and complete data currently available to us. However, we make no warranty, express or implied, with respect to such information, and we assume no liability resulting from its use.