### **SAFETY DATA SHEET**

Revision Date: 08/08/17

#### Section 1: Identification

#### PRODUCT AND COMPANY INFORMATION

**Product Name:** Cyclohexanedimethanol dimethacrylate

Catalog Number(s): M-275 Molecular Formula: C<sub>16</sub>H<sub>24</sub>O<sub>4</sub>

**Company:** Scientific Polymer Products, Inc.

6265 Dean Parkway Ontario, NY 14519

 Telephone:
 585/265-0413

 Fax:
 585/265-1390

 Website:
 www.scipoly.com

**Emergency Phone Number:** 800-255-3924 (CHEM TEL)

#### Section 2: Hazards Identification

### GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS)

Skin Irritation, Category 2, H315 Eye Irritation, Category 2A, H319

Skin sensitization, Sub-category 1B, H317

Specific target organ toxicity- single exposure, Category 3, Respiratory system, H335

### GHS Label elements, including precautionary statements

Pictogram(s)



Signal Word: Warning

Hazard Statement(s)

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

Precautionary Statement(s)

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338 IF IN EYES, rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P312 Call a PÓISON CENTER or doctor/physician if you feel unwell.
P333+P313 If skin irritation or rash occurs, get medical advice/attention.
P337+P313 If eye irritation persists, get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.
P403+P233 Store in a well ventilated place. Keep container tightly closed.
P501 Dispose of contents/container to an approved waste disposal plant.

Hazards Not Otherwise Classified (HNOC) or Not Covered by GHS: Effects due to processing releases: Irritating to eyes, respiratory system and skin. Prolonged or repeated exposure may cause: Headache, drowsiness, nausea, weakness, (severity of effects depends on extent of exposure). Other: This product may release fume and/or vapor of variable composition depending on processing time and temperature. Possible cross sensitization with other acrylates and methacrylates.

To the best of our knowledge, the toxicological properties of this chemical have not been thoroughly investigated. Use appropriate procedures and precautions to prevent or minimize exposure.

# **Section 3: Composition/Information on Ingredients**

Ingredient	CAS Number	Concentration (%)
Cyclohexanedimethanol dimethacrylate	52892-97-4	100

### Section 4: First Aid Measures

### **Description of First Aid Measures**

# **General Advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### **Inhalation**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### Skin Contact

Wash off with soap and plenty of water. Get medical attention. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse.

#### **Eve Contact**

Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.

### Ingestion

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# Most Important Symptoms and Effects, Both Acute and Delayed

The most important known symptoms and effects are described in the labelling (see Section 2) and/or Section 11.

# Indication of Any Immediate Medical Attention and Special Treatment Needed

No data available

### Section 5: Fire-Fighting Measures

## **Extinguishing Media**

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide

### Special Hazards Arising from the Substance of Mixture

When burned, the following hazardous products of combustion can occur: Carbon oxides, Hazardous organic compounds, Polymerization is exothermic and can degenerate into an uncontrolled reaction.

### Advice for Fire-Fighting

Wear self-contained breathing apparatus for fire-fighting if necessary.

#### **Further Information**

Use water spray to cool unopened containers. Fight fire from a protected location. Closed containers of this material may explode hen subjected to heat from surrounding fire. Firefighting equipment should be thoroughly decontaminated after use.

### **Section 6: Accidental Release Measures**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

Prevent further leakage or spillage if you can do so without risk. Use personal protective equipment. Avoid dust formation and dispersal of dust in the air. Ensure adequate ventilation. Evacuate personnel to safe areas. Prevent further leakage or spillage if you can do so without risk. For personal protection see section 8.

#### **Environmental Precautions**

Do not let product enter drains.

#### Methods and Materials for Containment and Cleaning Up

Sweep or scoop up using non-sparking tools and place into suitable properly labeled containers for prompt disposal. The sweepings should be wetted down further with water. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits

# **Section 7: Handling and Storage**

# **Precautions for Safe Handling**

Avoid contact with skin, eyes and clothing. Avoid inhalation of vapor or mist. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling. Emptied container retains vapor and product residue. Observe all labeled safeguards until container is cleaned, reconditioned or destroyed. Viscous materials and those supplied as solids at room temperature may require heating to facilitate handling and transfer from their original containers. This product may be heated to a maximum of 60° C/140° F for up to 24 hours. Do NOT use localized heat sources such as band heaters or steam. Us hot boxes or hot rooms for heating or melting. Ensure air space (oxygen) is present during product heating/melting. Do not overheat- this may compromise product quality and/or result in an uncontrolled hazardous polymerization. This product should be consumed in its entirety after heating/melting. Avoid re-heating multiple times: This may cause product degradation. If this product freezes, heat it as specified above and mix gently to redistribute the inhibitor. For precautions see section 2.

### Conditions for Safe Storage, Including any Incompatibilities

Keep in a dry, cool place. Store in closed containers, in a secure area to prevent container damage and subsequent spillage. Store out of direct sunlight in a cool well-ventilated place. Keep stabilizer levels constant to avoid explosive polymerization. An air space is required above the liquid in all containers; avoid storage under an oxygen free atmosphere. Inhibitor levels should be maintained- the typical shelf-life for this product is 6 months.

Store separate from: Strong oxidizing agents, Strong reducing agents, Free radical generators, Inert gas, Oxygen scavenger, peroxides

Temperature tolerance- Do not store below: 32° F (0° C) Temperature tolerance- Do not store above: 100° F (38° C)

### Specific End-Use(s)

Laboratory chemicals, Synthesis of substances

### **Section 8: Exposure Controls/Personal Protection**

#### **Control Parameters**

# **Components with Workplace Control Parameters**

Contains no substances with occupational exposure limit values.

#### **Exposure Controls**

### **Appropriate Engineering Controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Investigate engineering techniques to reduce exposures below airborne exposure limits or to otherwise reduce exposures. Provide ventilation if necessary to minimize exposures or to control exposure levels to below airborne exposure limits. If practical, use local mechanical exhaust ventilation at sources of air contamination such as open process equipment.

### **Personal Protective Equipment**

### **Eye/Face Protection**

Chemical goggles. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

#### **Skin Protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### **Body Protection**

Chemical resistant protective clothing. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory Protection**

Avoid breathing processing vapor or mist. Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### **Control of Environmental Exposure**

No special environmental precautions required.

# **Section 9: Physical and Chemical Properties**

## Information on basic physical and chemical properties

a) b) c) d) e) f) g) h) i)	Appearance Odor Odor Threshold pH Melting point/freezing point Initial boiling point and boiling range Flash point Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits	Form: Solid Slightly acrylic No data available No data available 55-60° C (131-140° F) No data available > 201° F (94° C) (Pensky-Martens closed cup) No data available No data available No data available No data available
k)	Vapor pressure	No data available
I) <sub>、</sub>	Vapor density	No data available
m)	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n- octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

#### Other safety information

No data available

# Section 10: Stability and Reactivity

### Reactivity

No data available

#### **Chemical Stability**

Stable under recommended storage conditions. This material can undergo hazardous polymerization.

### **Possibility of Hazardous Reactions**

Hazardous polymerization may occur.

Polymerization is exothermic and can degenerate into an uncontrolled reaction.

#### **Conditions to Avoid**

His material polymerizes exothermically in the presence of heat, contamination, oxygen free atmosphere, free radicals, peroxides and inhibitor depletion liberating heat. Avoid direct sunlight. Do NOT expose to ultraviolet light.

#### **Incompatible Materials**

Strong oxidizing agents, Strong reducing agents, Free radical generators, Inert gas, Oxygen scavenger, Peroxides

#### **Hazardous Decomposition Products**

Thermal decomposition giving flammable and toxic products – Carbon oxides, Acrylates, Hazardous organic compounds.

In the event of a fire, see Section 5.

# **Section 11: Toxicological Information**

### **Information on Toxicological Effects:**

# **Acute Toxicity**

No data available

### Skin Corrosion/Irritation

Causes skin irritation

### Serious Eye Damage/Eye Irritation

Causes serious eye irritation

### **Respiratory or Skin Sensitization**

May cause an allergic skin reaction

### **Germ Cell Mutagenicity**

No data available

### Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.

# **Reproductive Toxicity**

No data available

### Specific Target Organ Toxicity - Single Exposure

No data available

#### Specific Target Organ Toxicity - Repeated Exposure

No data available

# **Aspiration Hazard**

No data available

#### Additional Information:

Possible cross sensitization with other acrylates and methacrylates.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **Section 12: Ecological Information**

#### **Toxicity**

No data available

#### Persistence & Degradability

No data available

#### **Bioaccumulation Potential**

No data available

### **Mobility in Soil**

No data available

### Results of PBT and vPvB Assessment:

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

### **Other Adverse Effects**

No data available

# **Section 13: Disposal Considerations**

### Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service for disposal of this material.

# **Contaminated packaging**

Dispose of as unused product.

# **Section 14: Transport Information**

# DOT (US)

Not dangerous goods

# **IMDG**

Not dangerous goods

#### **IATA**

Not dangerous goods

### **Section 15: Regulatory Information**

### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Reactivity Hazard, Acute Health Hazard

## **Massachusetts Right-to-Know Components**

No components are subject to the Massachusetts Right to Know Act

### Pennsylvania Right-to-Know Components

CAS-No. Cyclohexanedimethanol dimethacrylate 52892-97-4

### **New Jersey Right-to-Know Components**

No components are subject to the New Jersey Right to Know Act

**California Proposition 65 Components** 

Warning! This product contains a chemical known to the State of California to cause cancer.

CAS No. 108-88-3

Benzene, methyl-

## **Section 16: Other Information**

HMIS RatingNFPA RatingHealth hazard:1Health hazard:1Flammability:1Flammability:1Physical Hazard:0Physical Hazard:0

This material is intended for laboratory use only. It is not sold or intended for drug, household or other uses. The information represents the most accurate and complete data currently available to us. However, we make no warranty, express or implied, with respect to such information, and we assume no liability resulting from its use.